

Specification

| Model | | BH55T | BH65T | BH75T |
|-----------------------------|----------------------------------|--|--|--|
| Video | Picture Engine | Quantum Processor 4K | Quantum Processor 4K | Quantum Processor 4K |
| | HDR10+ | YES | YES | YES |
| | Dolby Digital Plus | YES | YES | YES |
| Audio | Sound Output (RMS) | 20W | 20W | 20W |
| | Speaker Type | 2CH | 2CH | 2CH |
| | Woofer | N/A | N/A | N/A |
| | Bluetooth Audio | YES | YES | YES |
| | Digital Broadcasting | US, Canada : ATSC/ClearQAM Germany : DVB-T2CS2 x 2 Australia : DVB-T(T2 Ready) | US, Canada : ATSC/ClearQAM Germany : DVB-T2CS2 x 2 Australia : DVB-T(T2 Ready) | US, Canada : ATSC/ClearQAM Germany : DVB-T2CS2 x 2 Australia : DVB-T(T2 Ready) |
| Broadcasting System | DTV Sound System | Dolby | Dolby | Dolby |
| | Analog Tuner | YES | YES | YES |
| | CI(Common Interface) | US, Canada, Australia : N/A Germany : CI+(1.4) / CI+(1.4 ECP)_IT only | US, Canada, Australia : N/A Germany : CI+(1.4) / CI+(1.4 ECP)_IT only | US, Canada, Australia : N/A Germany : CI+(1.4) / CI+(1.4 ECP)_IT only |
| Smart Service | SMART TV Type | SMART | SMART | SMART |
| | Operating System | Tizen 5.5 | Tizen 5.5 | Tizen 5.5 |
| | Supported | Youtube, WebBrowser, BusinessTV app | Youtube, WebBrowser, BusinessTV app | Youtube, WebBrowser, BusinessTV app |
| Additional Features | IP55 rated | YES | YES | YES |
| | Adaptive Picture | YES | YES | YES |
| | Adaptive Sound | YES | YES | YES |
| | Instant On | YES | YES | YES |
| | Game Mode | YES | YES | YES |
| | Mobile to TV - Mirroring, DLNA | YES | YES | YES |
| | Remote Access | YES | YES | YES |
| | Easy Setup | NO | NO | NO |
| | Wireless TV On - Samsung WOL | YES | YES | YES |
| | WiFi Direct | YES | YES | YES |
| | TV Sound to Mobile | YES | YES | YES |
| | Sound Mirroring | YES | YES | YES |
| | BizTV App (Android, iOS) | YES | YES | YES |
| | On/Off timer | YES | YES | YES |
| | Autorun Signage(App auto launch) | YES | YES | YES |
| | App pre-installation | YES | YES | YES |
| | OTN On/Off | YES | YES | YES |
| | Security lock | YES | YES | YES |
| | Panel button lock | YES | YES | YES |
| | USB port lock | YES | YES | YES |
| Mobile Connection menu lock | YES | YES | YES | |
| IR Pass through | YES | YES | YES | |

About Samsung Electronics Co., Ltd.

Samsung Electronics Co., Ltd. inspires the world and shapes the future with transformative ideas and technologies. The company is redefining the worlds of TVs, smartphones, wearable devices, tablets, cameras, digital appliances, medical equipment, network systems, and semiconductor and LED solutions. For the latest news, please visit the Samsung Newsroom at news.samsung.com.

The Terrace for business

For more information about Samsung The Terrace for business, visit www.samsung.com/business or www.samsung.com/displaysolutions

Copyright © 2020 Samsung Electronics Co. Ltd. All rights reserved. Samsung is a registered trademark of Samsung Electronics Co. Ltd. Specifications and designs are subject to change without notice. Non-metric weights and measurements are approximate. All data were deemed correct at time of creation. Samsung is not liable for errors or omissions. All brand, product, service names and logos are trademarks and/or registered trademarks of their respective owners and are hereby recognized and acknowledged.

Samsung Electronics Co., Ltd.
416, Maetan 3-dong, Yeongtong-gu, Suwon-si, Gyeonggi-do 443-772, Korea

2020-06



The Terrace for business BHT series

Samsung QLED experience, now outdoors

SAMSUNG


SAMSUNG

Outdoor content demand creates new engagement opportunities


Visual display technology is constantly improving and evolving, while becoming more accessible to businesses. This has opened up a significant market opportunity for business owners looking to communicate and engage with customers in new ways and deliver dynamic, digital messages rather than outdated, static materials. At the same time, there is an increase in demand for content consumption in outdoor environments as consumers expect access to enjoyable content anytime, anywhere.

Engage customers in any outdoor environment

Samsung is a global leader in visual display technology and consistently creating industry-leading visual display technologies for a variety of use cases, enabling businesses of all sizes to engage customers and uncover new opportunities. The Terrace for business is Samsung's latest innovation, bringing together key features optimized to create the most impactful visual experience in any outdoor environment. QLED 4K picture quality and 1,500 nit brightness ensure superior picture quality and visibility regardless of sunlight, while IP55 grade protections ensures the display can withstand any outdoor conditions. 16/7 operation hours, an extended warranty and intelligent security features protect the display and the business owner, supported by the Business TV app for a simple content management solution to create a cost-efficient and engaging experience for both businesses and their customers.



Ultra bright picture quality



Weather-resistant durability




Business grade solutions



Easy content management

Solution for a wide range of outdoor business needs

The Terrace for business provides flexible functionality suited for a wide range of outdoor retail spaces and businesses looking to do more with their TV, while not overburdening staff with complicated features. From menu boards to providing advertising and promotion alongside TV programs, The Terrace for business is the perfect solution for businesses looking for a straightforward and effective way to communicate with customers.



Experience bright and brilliant content for your business, even outdoors



Ultra-bright picture quality, powerful performance

With 4K QLED and the ability to deliver up to 1,500 nit brightness levels, you can now experience superior picture quality and optimized visibility for outdoor environments. Direct full array adjusts dark and light tones scene-by-scene, while Quantum HDR 32x sets an incredible new standard of detail in bold contrast and brightness, powered by 16/7 operation to meet the demands of your business.



More visibility, less glare

The Terrace for business features impressive anti-reflection technology, greatly reducing TV reflection and glare while also enhancing picture contrast levels. Sunny days are now perfect days to ensure customers can clearly see branding and messages for an engaging content experience.




Surroundings change, picture stays perfect

Actively adapt to the viewing environment by automatically adjusting the brightness. Experience perfect picture, no matter what time of day or the content your customers are watching.



The ultra-smooth way to experience 4K QLED

The Terrace for business features Color Volume 100% technology which delivers rich and accurate 4K QLED color quality, even in the sunlight. An impressive, high-speed 120Hz refresh rate cuts out the blur between fast-paced images for an ultra-smooth viewing experience when watching sports, movies, and more.



A TV designed to enjoy outside

The Terrace for business is your year-round business solution for outdoor entertainment. No matter the season, its IP55 weatherproof rating delivers perfect performance and protection from the outdoor elements including humidity, dust and heat.

* Protection from water and dust based on IP55 (International Protection Rating) standard and operating smoothly at temperatures between -31°C to 50°C.
 * When temperature is -49°F to -24°F (-20°C to -31°C), it is mandatory to store TV inside with complete packaging or apply power and activate Outdoor Mode.
 * IP55 (Ingress Protection Rating): Degrees of protection provided by enclosures (IEC 60529).


Simplify your business with the perfect solution



Control content with your personal device

The Samsung Business TV app, available for Android and iOS devices, provides additional convenience by allowing you to remotely manage and control content on connected The Terrace for business.

* Image simulated for illustration purposes



Design content with the click of a button

Support more than 100 pre-loaded templates including vertical orientation, L-Bar layouts, motion-embedded, seasonal sale and other pre-designed promotions and advertisements for do-it-yourself content creation.




Focus on your business, not your TV

Spend less time dealing with technical issues. An on/off timer allows the TV to automatically operate during business hours and a pin-code protects the display settings, avoiding any potential content interruptions.



Simple setup in minutes

Set up could not be easier. The Terrace for business comes preloaded with a step-by-step tutorial that automatically begins when you first turn it on. After downloading the Samsung Business TV app, your devices are automatically connected to the TV and available for immediate use.



Easy content management

An incredibly simple interface allows you to edit, review, finalize and deploy content — even across multiple displays — with just a few quick taps.

* Simulated images of Samsung Business TV application provided herein may differ from actual user experience due to application updates.



One cable, clutter-free connectivity

No longer need to buy a separate HDBase-T receiver to connect your external devices to The Terrace for business—there's one already built-in. Simply plug in the cable, and you're ready to go. Its built-in Media Bay provides additional support for media sticks and protection from snow, rain and dust.

* Speaker must be purchased separately.

Specification

| Model | | BH55T | BH65T | BH75T | |
|---------------------|--------------------------------------|---|---|---|--|
| Panel | Size (Inch) | 55 | 65 | 75 | |
| | Type | 120Hz Direct LED BLU | 120Hz Direct LED BLU | 120Hz Direct LED BLU | |
| | Resolution | 3,840 x 2,160 | 3,840 x 2,160 | 3,840 x 2,160 | |
| | Brightness(Typ.) | 1,500nit | 1,500nit | 1,500nit | |
| | Contrast Ratio(Typ.) | 5000:1 | 5000:1 | 5000:1 | |
| | Viewing Angle(H/V) | 178/178 | 178/178 | 178/178 | |
| | Response Time(G-to-G) | 6ms | 6ms | 6ms | |
| | Display Colors | 1.07B | 1.07B | 1.07B | |
| | Color Gamut | 92% (DCI-P3, CIE 1976) | 92% (DCI-P3, CIE 1976) | 92% (DCI-P3, CIE 1976) | |
| | Operation Hour * | 16/7 | 16/7 | 16/7 | |
| Connectivity | Haze | AGLR 3.5% | AGLR 3.5% | AGLR 3.5% | |
| | Screen Curvature | N/A, Flat | N/A, Flat | N/A, Flat | |
| | INPUT | RGB | N/A | N/A | N/A |
| | | VIDEO | HDMI (3), HDBaseT | HDMI (3), HDBaseT | HDMI (3), HDBaseT |
| | | HDCP | 2.2 | 2.2 | 2.2 |
| | | AUDIO | N/A | N/A | N/A |
| | | USB | USB (1) | USB (1) | USB (1) |
| | RF (Terrestrial / Cable / Satellite) | US, Canada, Australia : 1 / 1(Common Use for Terrestrial) / 0 Germany : 1 / 1(Common Use for Terrestrial) / 2 | US, Canada, Australia : 1 / 1(Common Use for Terrestrial) / 0 Germany : 1 / 1(Common Use for Terrestrial) / 2 | US, Canada, Australia : 1 / 1(Common Use for Terrestrial) / 0 Germany : 1 / 1(Common Use for Terrestrial) / 2 | |
| | OUTPUT | RGB | N/A | N/A | N/A |
| | | VIDEO | N/A | N/A | N/A |
| AUDIO | | Mini Jack, Optical | Mini Jack, Optical | Mini Jack, Optical | |
| Power Out | | N/A | N/A | N/A | |
| External Control | | RJ45 | RJ45 | RJ45 | |
| Design | External Sensor | Ambient | Ambient | Ambient | |
| | | Wireless | WiFi5, BT4.2 | WiFi5, BT4.2 | |
| | Color | Front | Titan Black | Titan Black | |
| | | Stand | N/A | N/A | |
| Stand Type | N/A | N/A | N/A | | |
| Swivel (Left/Right) | N/A | N/A | N/A | | |
| Power | Type | Internal | Internal | Internal | |
| | Power Consumption | Power Supply | NA : AC110-120V 50/60Hz EU : 220-240V 50/60Hz | NA : AC110-120V 50/60Hz EU : 220-240V 50/60Hz | NA : AC110-120V 50/60Hz EU : 220-240V 50/60Hz |
| | | Max (W) | 275 | 350 | 450 |
| | | Energy Saving Mode (W) | N/A | N/A | N/A |
| | | Stand-by (W) | 0.5 | 0.5 | 0.5 |
| Typical | 125 (NA) | 145 (NA) | 180 (NA) | | |
| Mechanical | Dimension (mm) | Set without Stand | 1247.4 x 720.9 x 59.8 | 1466.3 x 851.1 x 59.8 | 1692.0 x 981.6 x 59.9 |
| | | Set with Stand | 1247.4 x 720.9 x 59.8 | 1466.3 x 851.1 x 59.8 | 1692.0 x 981.6 x 59.9 |
| | | Package | 1404 x 846 x 208 | 1710 x 1035 x 215 | 1859 x 1141 x 215 |
| | Weight (kg) | Set without Stand | 29.3 | 37.1 | 50.3 |
| | | Set with Stand | 29.3 | 37.1 | 50.3 |
| | | Package | 36.1 | 48.2 | 61.8 |
| | Bezel Width (mm) | | U/L/R (17.9), B (20.6) | U/L/R (17.9), B (20.6) | U/L/R (19.9), B (24.3) |
| | VESA | Screw Size | M8 | M8 | M8 |
| Screw depth | | 11.8 | 11.8 | 11.8 | |
| VESA Spec | | 200 x 200 | 400 x 400 | 400 x 400 | |
| Certification | Safety | UL (USA) : UL 60065 CSA (Canada) : CSA C22.2 No. 60065 Europe : EN 60065 | UL (USA) : UL 60065 CSA (Canada) : CSA C22.2 No. 60065 Europe : EN 60065 | UL (USA) : UL 60065 CSA (Canada) : CSA C22.2 No. 60065 Europe : EN 60065 | |
| | EMC | Class B | Class B | Class B | |
| Accessory | Included | Remote Control, Batteries, User Manual, Power Cable | Remote Control, Batteries, User Manual, Power Cable | Remote Control, Batteries, User Manual, Power Cable | |
| | | Stand | N/A | N/A | |
| | Optional | Mount | N/A | N/A | |
| | | Specialty | N/A | N/A | |
| | | Media Player | N/A | N/A | |

* This feature may vary by region.